mpa MONITORING ENTERPRISE

MPA Baseline Program

Annual Progress Report



Principal Investigators - please use this form to submit your MPA Baseline Program project annual report, including an update on activities completed over the past year and those planned for the upcoming year. This information will be used by the MPA Baseline Program Management Team to track the progress of individual projects, and will be provided to all MPA Baseline Program PIs and co-PIs prior to the Annual PIs workshop to facilitate discussion of project integration. Please submit this form to California Sea Grant when complete (sgreport@ucsd.edu, Subject [Award Number, project number, PI, "Annual Report"].)

Project	Infor	mation		
Project Y	ear	Sept 1, 2012 -Aug, 31, 2013	MLPA Re	gion South Coast
Project Ti & Numbe		Sandy-Beach Ecosystems: Baseline Char South Coast, Project Number R/MPA-		on and Evaluation of Monitoring Metrics along the nt: 10-049
PI name	Jen	ifer E. Dugan	Co-PI name	Henry M. Page
PI Contac (please lis	• • • • • • • • • • • • • • • • • • • •	o ditional PIs and contact info in the "Projec		ntact Info el" section if necessary)
Address	Uni	rine Science Institute iversity of California nta Barbara, CA 93106-6150	Address	Marine Science Institute University of California Santa Barbara, CA 93106-6150
Email	j_d	ugan@lifesci.ucsb.edu	Email	page@lifesci.ucsb.edu
Phone	805	5-893-2675		805-893-7568

Project Goals & Objectives

Sandy beaches and adjacent surf zones are important foraging areas for shore birds and fishes that feed on intertidal invertebrates. The amount of wrack and plankton cast onto beaches is dynamically linked to adjacent ecosystem features, ocean climate and the reproductive output of invertebrates. The condition of beach ecosystems is also linked to the reproductive success of beach-nesting fishes and birds. These links are the critical pathways through which direct and indirect effects of MPA implementation and variation in ocean climate will cascade, making sandy beaches an important target for long-term monitoring to assess ecosystem condition and functioning of the SC region. Sandy beaches are also used extensively for a variety of recreational activities, including shore-based fishing, clamming and bait collection, beachcombing, dogwalking, jogging, sunbathing, surfing, swimming, volleyball and other sports, birding, and picnicking. We will:

- 1) provide a comprehensive, baseline description of the biodiversity of sandy beaches of the SC region using both new and historical/existing data
- 2) develop informative ecosystem indicators and a plan for long-term monitoring of the network of MPAs involving citizen scientists, and
- 3) interpret the important ecological links among the components of this and other ecosystem features, including humans, for use in evaluating the effectiveness of the network of MPAs.

Summary of Project Activities Completed to Date

Overview of Project Year ___ Activities, including progress towards meeting goals & objectives

Progress on our goals and objectives has been excellent in Year 2. We have followed the proposed timeline for monthly surveys and the semi-annual surveys of indicator/focal taxa at our study beaches. We conducted surveys designed to describe the ecological conditions, including draft indicator/focal species or taxa for key attributes and metrics of a range of beach types located inside and outside of MPAs in the South Coast Region. Between late August and early November 2011 we conducted intensive biodiversity surveys of intertidal invertebrate communities, wrack and beach characteristics at 12 beaches (6 inside MPA and spatially paired 6 Reference beaches located outside MPAs). We continued the monthly surveys of the birds, people, dogs, kelp plants, wrack, and beach characteristics on the 12 beaches that were surveyed for biodiversity initiated in December 2011. Standard monthly photos are also shot at each study site. These surveys will span two years and continue through November 2013. In Sept/Oct 202 and May/June of 2013, draft indicator invertebrate taxa (Sand Crabs, *Emerita analoga* and Beachhoppers, *Meglaorchestia* spp.) were surveyed at all 12 beaches. Repeat surveys of these taxa at the 12 study beaches are planned for September/October 2013.

Laboratory processing and identification of preserved samples from the biodiversity surveys by the graduate student and technicians on the project are now completed. Processing of samples from indicator/focal taxa surveys are completed for 2012 and in progress for the 2013 surveys. Data entry is in progress for all these components of our study.

During summer 2013 we initiated comparative surveys of sand crab populations in the Campus Point MPA using the citizen science protocol used by the Limpets sandy beach monitoring protocols and a modified Limpets protocol. These surveys were conducted in cooperation with staff of the Channel Islands National Marine Sanctuary, Santa Barbara Coastal LTER staff and K-12 teachers in the Research Experience for Teachers (RET) summer program. Coordinated sand crab surveys were conducted on four dates. All sand crabs collected were measured live and released. Analyses of these data are in progress and will be presented at a teacher education conference during Fall 2013. Results of these surveys will also be presented in the teacher workshop in 2013.

Highlights from project progress so far, such as successes achieved, new collaborations or partnerships, or interesting stories from the past year that may be suitable for a blog post or other media venue
Our results on the distribution of remaining populations of two upper beach isopod species were published in Estuarine Coastal and Shelf Science and received considerable media attention including internet news, blogs, newspaper and radio coverage.
Associate Investigator Hubbard contributed extensively to a draft website on sandy beach ecosystems that was developed by Sea Grant Advisor Monique Myers. The new site is currently under review.

Description of any unforeseen events and substantial challenges, and resulting effects on project activities and progress. Please indicate any issues that may affect other Pl's or require coordination with other Baseline partners (e.g., ME, DFG, Sea Grant).

No additional challenges or events beyond the access issues and habitat suitability described in our Year One report affected our project activities and progress.

Data status (i.e., paper/raw format or digitized; if digitized, what format?)

MPA Baseline Program Annual Report

All field data are in paper format and data entry is in progress. Data from samples that have been processed are in paper format and data entry is in progress.

Activities Planned for following Project Year (if applicable) – Please describe remaining work and approximate timelines for completing that work, including any anticipated budget variances necessary to complete the project.
We will continue monthly surveys through November 2013 to complete 2 full years of data collection at the 12 study beaches. We will conduct surveys for indicator taxa at the 12 study beaches during September 2013. We will continue and complete sample processing and species identifications in the laboratory. We will continue and complete data entry for the monthly surveys and for the biodiversity and the indicator taxa surveys. We will generate data summaries and conduct analyses for the datasets collected during the study.
In collaboration with the Rocky Intertidal SCMPA baseline study and CINMS we plan to conduct a teacher's workshop to share our refinements of citizen science protocols for potential monitoring application during Summer 2013.
Results from our study will be presented at two national scientific meetings in Fall 2013, the Binghamton Symposium in October and the Coastal and Estuarine Research Federation Meeting in November.
We anticipate requesting a no cost extension of up to 1 year on this project to allow us to complete the proposed research activities including the teacher workshop, the extensive data processing and analyses of our survey data, the production of datasets for posting, and the preparation of a final report and manuscripts.

Project Personnel – Please indicate additional project personnel involved in your MPA baseline project, including students and volunteers, or additional PI contact information if necessary, as well as the nature of their assistance in the project project.

	Students Supported	Student Volunteers	Nature of Assistance
K-12			
Undergraduate	3	14	Field and laboratory
Masters	1		Field and laboratory
PhD			

Number of other Volunteers not counted above and the nature of their assistance in the project:

l	3 RET teachers – participated in citizen science protocol testing and analyses
١	

Additional PI contact info not listed on first page:

Karina J. Nielsen Professor of Biology Sonoma State University Rohnert Park, CA 94928

email: karina.nielsen@sonoma.edu

voice: 707.664.2962

http://www.sonoma.edu/users/n/nielseka/

Julie Goodson Bursek

Team Leader Education and Outreach

NOAA Channel Islands National Marine Sanctuary

805-893-6422 office 805-729-3081 cell 805-568-1582 fax

julie.bursek@noaa.gov

Cooperating Organizations and Individuals - Please list organizations or individuals (e.g., federal or state agencies, fishermen, etc.) that provided financial, technical or other assistance to your project since its inception, including a description of the nature of their assistance.

Name of Organization or Individual	Sector (City, County, Fed, private, etc.)	Nature of cooperation (If financial, provide dollar amount.)
California State Parks	State	Personnel and collaboration on K-12 outreach
SBC LTER	University- NSF funded	Personnel and collaboration, shared study sites
California Sea Grant Extension	State	Collaboration on educational website

Project Outputs and Materials: Please provide any other project-relevant information, such as descriptions of

Examples of Media Coverage for Hubbard et al. article*

Los Angeles Times, http://www.latimes.com/local/lanow/la-sci-sn-beach-roly-polies-extinction-california-20130719,0,4438992.story,

KPCC Public Radio http://www.scpr.org/news/2013/08/02/38494/ucsb-scientists-look-for-isopods-to-check-for-beac/

http://www.futurity.org/pretty-beaches-leave-tiny-critters-homeless/

http://www.sciencedaily.com/releases/2013/07/130718101341.htm

http://ktla.com/2013/07/19/beach-roly-polies-vanishing-in-southern-california-study-says/#axzz2gbi7eWgv

Santa Barbara Newspress- attached pdf

Presentations:

- Dugan, J. E. D. M. Hubbard, H. M. Page, N.K. Schooler Beyond beach width integrating ecological zones and function of sandy beach ecosystems. Poster. September 2012 LTER All Scientists Meeting, Estes Park, CO
- 2012 Beaches as ecosystems, Public Workshop on Beach Ecology, September 2012, City of Malibu, CA
- 2012 Dugan, J. E. Local Beaches and Climate Change. Workshop presentation. Santa Barbara Channel Ecosystems and Climate Change, Understanding local impacts and adaptation approaches, November 2012 Agency and public workshop jointly sponsored by California Sea Grant, Coastal Conservancy and CNAP.
- Hubbard, D. M., J.E. Dugan, N.K. Schooler, Local extirpations and regional declines: the case of endemic upper beach fauna in southern California, USA. Southern California Academy of Sciences Meeting, Fullerton, CA
- Viola, S., J. E. Dugan, D. M. Hubbard, N.K. Schooler Burrowing in beach fill, implications for recovery of sandy beach ecosystems. Southern California Academy of Sciences Meeting, Fullerton, CA

Publications:

- in press Schooler, N. K., J. E. Dugan, D.M. Hubbard. Comparing intertidal biodiversity over time: calibrating species richness estimates for sandy beaches. Est. Coastl Shelf Sci.
- Viola, S., J. E. Dugan, D. M. Hubbard, N.K. Schooler. Burrowing in beach fill, implications for recovery of sandy beach ecosystems. Est. Coastl Shelf Sci. DOI:
- *Hubbard, D.M., J. E. Dugan, N.K. Schooler, S. Viola. Local extirpations and regional declines: the case of endemic upper beach fauna in southern California. Est. Coastl Shelf Sci. http://dx.doi.org/10.1016/j.ecss.2013.06.017
- Dugan, J. E., D.M. Hubbard, B.J. Quigley Beyond beach width: steps toward identifying and integrating dynamic ecological envelopes with geomorphic features and datums for sandy beach ecosystems. Geomorphology 199: 95–105
- 2013 Lafferty, K. D., J. P. McLaughlin, J. E. Dugan. Novel foraging in the swash zone on sand crabs (*Emerita analoga*, Hippidae) by mallards. Wilson J. Ornithol. 125(2): 423-426
- Schooler, N.K., J. E. Dugan, H. M. Page. First host record for the parasitoid rove beetle, *Aleochara sulcicollis* Mannerheim, 1843 (Coleptera: Staphylinidae) on the intertidal kelp fly *Fucellia ruftibia* Stein 1910 (Diptera: Anthomyiidae). Coleop. Bull 66(4): 1-4.

Welcome, Jenifer | Logout Sunday, August 4, 2013

SANTA BARBARA, NEWS-PRESS

SANTA BARBARA

68°
Full forecast

Old Spanish Days Fiesta CLICK HERE 3 Bureau Credit Report

www.FreeScoreOnline.com

View your latest Credit Scores from All 3 bureaus in 60 seconds for \$0!



AdChoices D

Home

Local

Nation/World

Editorials

Opinions-Letters

Obituaries

Real Estate

Classifieds

Special Publications

Archives

DON'T MISS ANY OF THE FIESTA ACTION

LIVE CAM! CLICK HERE!



Saving sand critters is no walk on the beach, UCSB scientists say

By GARRY WORMSER, NEWS-PRESS CORRESPONDENT August 4, 2013 5:25 AM

In one of Roald Dahl's famous short stories, a man invents a machine that can hear grass scream when stepped upon.

If that machine could amplify the screams of sand-dwelling creatures being tormented when beaches are raked and groomed, California's sunbathers might get the message and try to save what's left of the beach ecosystem.

"By grooming and raking beaches with new sand to make them appealing to sunbathers, we are systematically exterminating creatures essential to marine biodiversity," say UCSB marine biologists Jenifer Dugan and David Hubbard.

They are co-authors of a recent paper on the subject in the journal Estuarine Coastal and Shelf Science.

Where the average sunbather may see only beauty — wide, flat swaths of soft sand — the scientists see peril for plant and animal life alike.

Beach filling and grooming to make a beach towel-friendly, so to speak, can be disastrous not only to upper beach animals that carry their young like kangaroos, but to species like grunion that lay their eggs in the sand.

From Point Conception in Santa Barbara County to Baja California, some animals have vanished from some 60 percent of beaches where they were recorded 100 years ago.

Barring the quick implementation of effective conservation strategies for sandy beaches, the researchers say, isopods and several other diminutive creatures — all-important prey for shorebirds — may be wiped out altogether.

Beach maintenance can be more intensive than agriculture. Both are big business operations.

"But while farmers may plow their fields several times a year, some Southern California beaches have the sand flattened and are raked clean of trash and seaweed twice a day to keep the area pristine for the tourist trade. Intensely managed beaches like this are viewed as a Southern California trademark, but



Related Stories

Fast Fact

ARCHIVE Oct 9, 2005

 California's offshore oil production has fallen by about 45 percent in the last 10 years, the state Department of Conservation says. In 1994, some 78.8 million barrels of oil were produced in state and federal waters, compared to 43.1 million barrels last year.

ARCHIVE Oct 9, 2005

Naked beaches

ARCHIVE Nov 5, 2002

Letters: State needs cuts across the board

ARCHIVE Jan 4, 2009

State park users to pay higher fees starting Thursday
 GRCHIVE Jun 27, 2004

IN BRIEF : Art museum receives \$140,000 grant

ARCHIVE Oct 29, 2008

Gas prices continue to climb
 ARCHIVE Apr 7, 1999

Gasoline prices in county go up

ARCHIVE Sep 19, 2001

School's out for summer, so jobless rate rises

ARCHIVE Jul 13, 2002

State wages barely keep pace with inflation

ARCHIVE Sep 1, 2002

1 of 3 8/4/13 3:55 PM

D>

the ecological costs are very high," said Dr. Dugan, an associate research biologist at UCSB's Marine Science Institute.

The nocturnal creatures that live on the upper sections of beaches are caught in an ecological Catch-22.

"The beaches where they are currently thriving — mostly on ungroomed, undeveloped shores — are also where the remaining populations of these animals face the greatest threat from sea level rise," Dr. Dugan said.

Such natural beaches are often bluff-backed, leaving the slow, vulnerable critters with no place to go as the sea level rises, said Mr. Hubbard, a member of the Marine Science Institute's research staff.

Of all the zones on a beach, the upper intertidal zones of beaches are the most likely to have a house or a parking lot on it, to be groomed, or to be covered with a sea wall, the two scientists say in their research paper.

In an earlier technical paper, Dr. Dugan noted that restrictive walls or seawalls could eventually drown sandy beaches. These structures include many types of barriers constructed to protect beachfront properties along the California coast.

"When someone builds a seawall, not only is beach habitat covered up with the wall itself, but, over time, sand is lost in front of the wall until the beach eventually drowns. The semi-dry and damp sand zones of the upper and mid intertidal areas are lost first, leaving only the wet lower beach zones," Dr. Dugan explained.

"As a result, the beach loses diversity and ecological function. With climate change squeezing beaches further, it's a very serious issue to consider," the scientist said.

Dr. Dugan is among a select group of UCSB researchers funded by the California Ocean Protection Council to study the baseline ecological and socioeconomic effects of the Marine Life Protection Act on the South Coast.

The act serves to protect the coastal ecosystems as a valuable part of California's natural resources and heritage.

"The fact that beaches were chosen for that study is a very positive sign," Dr. Dugan said said.

email: news@newspress.com









Graduate student Nicholas Schooler, left, and marine researcher David Hubbard take samples of crustaceans at Scripps Coastal Reserve in San Diego. Keeping beaches pristine is slowly destroying isopods and other sand dwellers.

NICHOLAS SCHOOLER PHOTO

Clearing upper beaches of kelp to make them appear cleaner and more attractive destroys the natural food of sand critters that feed on the kelp overnight.

UCSB PHOTO

This tiny alloniscus is a beach version of the roly-poly that rolls itself into a ball whenever threatened. The sand-dwelling critter has disappeared from 64 percent of beaches where it was first recorded 100 years ago.

During daylight hours, nocturnal isopods hide as much as 1 meter deep in the sand. Their burrows were once a familiar site to beachgoers until sand grooming began to systematically exterminate them.

DAVID HUBBARD PHOTOS



2 of 3 8/4/13 3:55 PM

a Barbara News-Press : Daily newspaper since 1855	http://www.newspress.com/Top/Article/article.jsp?Section
. Front Page Local National World Weather Editorials Opinions and Letters Sports Scenario	

All Content Copyright © 2013 Santa Barbara News-Press / Ampersand Publishing, LLC unless otherwise specified.

3 of 3 8/4/13 3:55 PM