

# FISHERIES RESEARCH & DEVELOPMENT

R/F-172: 3.1.1997-2.29.2000; R/F-180: 3.1.2001-2.29.2004

# **Developing an Instrument for Counting Fish Eggs**

**David Checkley** 

University of California, San Diego—Scripps Institution of Oceanography

## **Development of New Technology**

he Continuous Underway Fish Egg Sampler (CUFES) is a ship-mounted oceanographic instrument that collects pelagic fish eggs and ancillary data. The system operates continuously under nearly all sea conditions, providing a real-time estimate of the volumetric abundance of pelagic fish eggs from the surface to the instrument's pump depth at 3 meters. CUFES is capable of drawing about 650 liters of seawater a minute into an egg collection chamber.

At present, biologists manually count egg samples—a time-intensive and tedious process—to investigate spawning habitat and spawning biomass, both of which are important pieces of information for managing fisheries.

CUFES has been used to sample the eggs of menhaden, pinfish, sardine, anchovy, round herring, and mackerel off the coasts of the United States, Mexico, Peru, Chile, France, Spain, Portugal and South Africa.

## **Projects**

California Sea Grant funded part of the development of CUFES and its use in estimating the spawning biomass of Pacific sardine in California from the "daily egg-production method." David Checkley, a biologist at Scripps Institution of Oceanography, was then able to use CUFES to estimate sardine and anchovy egg mortality rates.

California Sea Grant has more recently funded Checkley to




Mackerel haul in Peruvian waters. Photo: Teobaldo Dioses, NOAA Fisheries digital collection

automate the identification and counting of fish eggs collected by CUFES. Checkley is leading this effort in cooperation with scientists from NOAA Fisheries. The automated fish egg counter that he is developing is called the Real-Time Flow Imaging and Classification System or REFLICS. It consists of a line-scan video camera, iacketed flow cell, illuminator and housing. The most challenging aspect of developing the instrument is writing software for analyzing digital images collected by REFLICS. Eventually, this algorithm will be able to speciate and count sardine and anchovy eggs in real time, as a ship is underway.

#### **Applications**

In 2003 and 2004, the autonomous fish egg counter was field-tested during spring cruises of the California Cooperative Oceanic Fisheries Investigations (CalCOFI). During these cruises, it was able to take millions of digital images of eggs and other small particles in seawater samples. Scientists are in the process of comparing computer interpretations of these images to human counts.


Checkley currently has California Sea Grant funding to characterize the spawning habitats of small



Fish. Oceanogr. 6(2):58-73).

collector (from Checkley, D.M., Jr., P.B. Ortner, L.R. Settle, and

S.R. Cummings. 1997. A continuous, underway fish egg sampler.



REFLICS: Water from CUFES concentrator passes upward through the flow cell at 20 l min<sup>-1</sup> and on to CUFES sample collector (see illustration on previous page). Particles are backlit by the illuminator and imaged by the line-scan camera. Data are transferred from camera to computer for real-time acquisition and analysis. Photo: Jesse Powell, UC San Diego

pelagic fish off California using newly developed techniques.

## **Industrial Applications**

Ocean Instruments in San Diego now manufactures and sells CUFES. Checkley anticipates REFLICS will become commercially available in a few years. A commercial version of REFLICS, he said, would be able to count different types of eggs, as well as copepods.

#### **Fisheries Management**

The data gathered by CUFES and REFLICS will be of immediate use by NOAA Fisheries and the California Department of Fish and Game. Both agencies are involved in managing California sardine and anchovy.

### **Co-Principal Investigators**

Pam Cosman and Mohan Trevidi, Department of Electrical and Computer Engineering, UC San Diego

# **Collaborating Institutions**

California Cooperative Fisheries Investigations (CalCOFI)
Datacube, Inc., Danvers,
Massachusetts
Hubbs-SeaWorld Fish Hatchery,
Carlsbad, California
Integrative Oceanography
Division, UC San Diego
Southwest Fisheries Science
Center, La Jolla

#### **Trainees**

Katherine A. Curtis Sadahiro Iwamoto Stephen Krotosky David Levenson

## **Publications**

Iwamoto, S., D.M. Checkley, Jr., and M.M. Trivedi. 2001. REFLICS: Realtime flow imaging and classification system. *Mach. Vision Appl.* 13:1–13.

Curtis, K.A. Fine scale pattern of Pacific sardine (Sardinops sagax) and northern anchovy (Engraulis mordax) eggs. Fish. Oceanogr. In Press.



**Biologist David Checkley** 

#### **Presentations**

Powell, J., D. Checkley, S. Krotosky, B. Ochoa, and P. Cosman. OCEANS 2003 Marine Technology and Ocean Science Conference. Detection and Identification of Sardine Eggs at Sea Using a Machine Vision System. September 23, 2004, San Diego, California.

Checkley, D. CalCOFI Annual Symposium. Sampling Zooplankton with the OPC and Fish Eggs with CUFES in CalCOFI. November 5, 2003, Monterey, California.

Checkley, D., P. Ayon, T. Baumgartner, and M. Braun. GLOBEC Small Pelagic Fish and Climate Change Meeting. Spawning of Anchovy, Mackerel, and Sardine in the California and Humboldt Currents. January 14, 2004, Concepción, Chile.

Curtis, K.A., D. Checkley, and J. Powell.
American Society of Limnology and
Oceanography and the Oceanography Society Combined Annual
Meeting. Connecting Dimensions:
The Challenge of Horizontal and
Vertical Sampling of Pelagic Fish
Eggs. February 15–20, Honolulu,
Hawaii.

#### For more information:

Dr. David Checkley Scripps Institution of Oceanography University of California, San Diego Tel.: (858) 534-4228 Email: dcheckely@ucsd.edu

May 2004

This work is sponsored in part by a grant from the National Sea Grant College Program, National Oceanic and Atmospheric Administration, U.S. Department of Commerce, under grant number NA04OAR4170038, Project number A/P-1. The views expressed herein are those of the author and do not necessarily reflect the views of NOAA or any of its subagencies. The U.S. Government is authorized to reproduce and distribute for governmental purposes.

